

SDMS DocID

445678



January 8, 2007

Via U.S. Mail

Joseph LeMay, Remedial Project Manager US EPA – Region I 1 Congress Street Suite 1100 (HBO) Boston, MA 02114-2023

Re: Operations & Maintenance Summary Monthly Report – December 2006

UniFirst Corporation, Wells G&H Site, Woburn, MA

Dear Mr. LeMay:

On behalf of UniFirst Corporation, I am submitting the report "Source Area & Operable Unit 1, Operations & Maintenance Summary Monthly Report" for the period December 1 through December 31, 2006.

Should you have any questions, please call.

Sincerely,

Timothy M. Cosgrave

Project Manager

TMC:hs enclosure

cc: Jennifer McWeeney, BWSC, DEP

David Sullivan, TRC

Stephen Aquilino, UniFirst

Greg Bibler, Goodwin Procter LLP

Peter Cox, RETEC

Susan Brand, Cummings Properties

Jack Guswa, GeoTrans

Maryellen Johns, Remedium

Jeffrey Lawson, PCC

Jay Stewart, Lowenstein Sandler

Jeff Hamel, Woodward & Curran

: Wells 68H : 85 : 445678

249 Ayer Road, Suite 206 Harvard, Massachusetts 01451-1133 978-772-1105 Fax 978-428-6177 tcosgrave@harvardprojects.com

Source Area & Operable Unit 1 Operations & Maintenance Summary Monthly Report UniFirst Corporation

December 1 – December 31, 2006

Wells G & H Site Woburn, Massachusetts

Prepared for: UniFirst Corporation 68 Jonspin Road Wilmington, Massachusetts 01887-1086

Prepared by:

Barrard Project Services III

249 Ayer Road, Suite 206 Harvard, MA 01451-1133

1 Introduction

Harvard Project Services (HPS), as Operation and Maintenance Contractor of the groundwater recovery and treatment system (System) at UniFirst Corporation, 15 Olympia Avenue, Woburn, Massachusetts, has prepared this report. The System, which started pumping on September 30, 1992, is part of the ongoing Remedial Action of the Wells G&H Superfund Site in Woburn, Massachusetts. This report describes the groundwater recovery and treatment activities for the period December 1 through December 31, 2006 and identifies future RD/RA activities at the site.

2 System Operation & Maintenance

2.1 Maintenance

Activities during the reporting period at the Treatment Plant are summarized in the Maintenance Summary Table.

Date	Activity	Company		
December 6	Routine Site Visit	HPS		
	Monthly Sampling			
December 12	Routine Site Visit	HPS		
	Quarterly Sensor Inspection			
December 20	Routine Site Visit	HPS		
December 27	Routine Site Visit	HPS		
	Backwash Carbon 4			

UniFirst Treatment Plant Maintenance Summary

2.2 Treatment System Process Flow & Pressures

The total monthly flow through the System for the reporting period was 1.39 million gallons. The average flow during this period was approximately 31.2 gallons per minute. The average hourly flow rate in gallons per minute is depicted in Figure 1.

The average hourly carbon pressure at the influent to the primary tank during the month was 13.3 psi. The trend of the carbon system pressure is illustrated in Figure 1. The process flow through the carbon vessels was Tank 2 to Tank 3a to Tank 4a.

2.3 Drawdown Elevation in UC22

During the reporting period, the average hourly pumping water level elevation in well UC22 was approximately 27.1 feet. The water level elevations for the month are shown on Figure 1.


3 Treatment System Performance

The effectiveness of the treatment system is monitored by monthly sampling and analysis. Analytical samples for routine monitoring were collected on December 6, 2006 from sample points S5C1, S5C2, S6 and S7 (duplicate of S6). Monthly analytical results are summarized in the attached table, "Water Quality Summary."

4 Future Activities

Operation and monitoring of the groundwater extraction and treatment system will continue. Routine monthly samples will be collected on January 2 and February 6, 2007.

Figure 1: December 2006 Operations Data



Water Quality Summary Groundwater Treatment System UniFirst Corporation Wells G & H Site, Woburn, Massachusetts

Sample Date:	12/6/2006				Mathad.	9000
Sample Date:					Method:	8260
Sample Location:	S5C1, 1 st carbon effluent			fier		Datastian
CAS No.	Compound		Result	Qualifier	Units	Detection Limit
56-23-5	Carbon Tetrachloride		<1.0	0	µg/L	1.0
75-34-4	1,1-Dichloroethene		<1.0		μg/L μg/L	1.0
127-18-4	Tetrachloroethene		26		μg/L μg/L	1.0
79-01-6	Trichloroethene		12			1.0
0540-59-0			2		μg/L	1.0
71-55-6	1,2-Dichloroethene (total) 1,1,1-Trichloroethane		3		μg/L	1.0
7 1-55-0	r, r, r- monoroeurane		3		µg/L	1.0
Sample Date:	12/6/2006				Method:	8260
	S5C2, 2 nd carbon effluent				wethou.	8200
Sample Location.	55C2, 2 Carbon emuent			fer		Detection
CAS No.	Compound		Dogult	Qualifier	Linita	Detection
56-23-5	Compound Carbon Tetrachloride		Result <1.0	<u> </u>	Units	Limit
75-34-4			<1.0 <1.0		μg/L	1.0
127-18-4	1,1-Dichloroethene		<1.0		μg/L	1.0
79-01-6	Tetrachloroethene		-		μg/L	1.0
	Trichloroethene		<1.0		μg/L	1.0
0540-59-0	1,2-Dichloroethene (total)		3		μg/L	1.0
71-55-6	1,1,1-Trichloroethane		3		µg/L	1.0
Onemia Datas	10/6/2006					5040
Sample Date:	12/6/2006				Method:	524.2
Sample Location:	S6, final effluent	0:		Гег		Datastis
CACNO	Company	Discharge	Desult	Qualifier	l laita	Detection
CAS No.	Compound Benzene	Limit	Result <0.5	a	Units	Limit
56-23-5	· - · · · · · •	5.0			μg/L	0.5
	Carbon Tetrachloride	5.0	<0.5		μg/L	0.5
75-34-4	1,1-Dichloroethene	7.0	<0.5		μg/L	0.5
127-18 -4 79-01-6	Tetrachloroethene	5.0	<1.0		μg/L	0.5
	Trichloroethene	5.0	<0.5		µg/L	0.5
0540-59-0	1,2-Dichloroethene (total)	70.0	<1.0		μg/L	1.0
71-55-6	1,1,1-Trichloroethane	Monitor Only	0.23	,	μg/L	0.5
7439-92-1	Lead, total (Method 200.7)	10.2	<3.3		μg/L	3.3
Sample Date:	12/6/2006				Method:	524.2
	S7, duplicate of final effluent	•			Wethou.	J24.Z
Gampio Location.	or, auphoate of final emident	Discharge		<u>lif</u> er		Detection
CAS No.	Compound	Limit	Result	Qual	Units	Limit
71-43-2	Benzene	5.0	<0.5	<u> </u>	µg/L	0.5
56-23-5	Carbon Tetrachloride	5.0	<0.5		μg/L	0.5
75-34 -4	1,1-Dichloroethene	7.0	<0.5		μg/L	0.5
127-18 -4	Tetrachloroethene	5.0	<1.0		μg/L μg/L	0.5
79-01-6	Trichloroethene	5.0 5.0	<0.5			
0540-59-0	1,2-Dichloroethene (total)	70.0	<1.0		μg/L ug/l	0.5
71-55-6	1,1,1-Trichloroethane	Monitor Only	0.21	i	μg/L	1.0
, 1-00 - 0	i, i, i- i i dilotocularie	MOUNTO OTHY	0.21	,	μg/L	0.5